




GameCourt PVC[®]



Moose Sports Surfaces, Ltd.
2257 North Wayne Avenue, Suite 2C
Chicago, Illinois 60614

773.477.4664
www.mooseports.com



GameCourt PVC[®]

GameCourt PVC[®] is a cushion-backed vinyl sports flooring system that provides a durable shock absorbing surface for indoor recreational play.

The product features a long-lasting surface manufactured with a closed-cell, high-density foam and a reinforced fiberglass inter-layer resulting in excellent linear and dimensional stability.

GameCourt PVC[®] vinyl wear layer provides excellent traction and durability. In addition, it's heavy foam back provides resiliency and comfort for athletes.

Bacteria and microbe resistant, GameCourt PVC[®] also features a top wear layer, reinforced with clear UV cured polyurethane, for added strength and easy cleaning.


Perfect for Basketball & Volleyball courts.



Moose Sports Surfaces, Ltd.
2257 North Wayne Avenue, Suite 2C
Chicago, Illinois 60614

773.477.4664
www.mooseports.com

- 1 UV Cured Polyurethane Protection Layer
- 2 Durable Wear Layer
- 3 Fiberglass Mesh Interlayer
- 4 Calandered PVC Layer
- 5 Closed Cell Foam Cushioned Backing




Thickness:

GameCourt PVC[®] Indoor Resilient Athletic Surface is available in 6.5mm thickness.

Technical Data

| | | |
|---|---------------|--------------------------------|
| Shore A Hardness | ASTM D 2240 | 85-90 |
| Force Reduction | DIN 18032-2 | 33% |
| Coefficient of Friction | DIN 18032-2 | 0.4-0.44 |
| Vertical Deformation | DIN 18032-2 | 0.9mm |
| Area Deflection | DIN 18032-2 | 0% |
| Static Load Limit/Residual Compression 250 Lbs. | ASTM F 970-00 | .003 |
| Static Load Limit/Residual Compression 500 Lbs. | ASTM F 970-00 | .005 |
| Ball Rebound | DIN 18032-2 | 99% |
| Rolling Load | DIN 18032-2 | 1000N |
| Impact Resistance | DIN 18032-2 | 12Nm |
| Residual Impression | DIN 18032-2 | .17mm |
| Critical Radiant Flux | ASTM E 648 | .36W/cm ² , Class 1 |
| Chemical Resistance | ASTM D 543 | Excellent |
| Loss of Heating | KS M 38002-99 | 0.9% |
| Dimensional Stability By Heating | KS M 38002-99 | 0.03% |
| Evaluation of Microbial Action | ASTM G 21-96 | Class 0 |
| Bacterial Reduction Rate | FC-TM-20-01 | 99.8% |

Standard GameCourt PVC[®] Colors:



Standard Game Line Colors:



Colors shown are approximations. Contact Moose Sports Surfaces, Ltd. for actual color samples.